Supporting Children and Students with Prevalent Medical Conditions Procedure No.: A-SE-302

# **PLAN OF CARE**

PREVALENT MEDICAL CONDITION - ASTHMA								
Plan of Care								
STUDENT INFORMATION								
School		Date	Date			C Photo		
Student Name		– Date	Date of Birth					
Ontario Ed. #			Age					
Grade		- Teac	Teacher(s)					
					<u></u>			
EMERGENCY CONTACTS (LIST IN ORDER OF PRIORITY)								
Name	Relatio	nship		Daytime Phone		Alternate Phone		
1.								
2.								
3.								
KNOWN ASTHMA TRIGGERS								
	CHE	CK (✓) ALI	L THOSE	THAT	APPLY	1		
☐ Colds/Flu/Illness ☐ Char		Change In Weathe		□P	et Dander	☐ Stron	ng Smells	
☐ Smoke (e.g., tobacco, fire, cannabis, second-hand smoke) ☐ Mould		d	☐ Dust	t Cold Weath		er	☐ Pollen	
☐ Physical Activity/Exercise ☐ Other (Specify)								
☐ At Risk For Anaphylaxis (Specify Allergen)								
☐ Asthma Trigger Avoidance Instructions:								
Any Other Medical Condit	ion Or Allerg	;y?						

Supporting Children and Students with Prevalent Medical Conditions Procedure No.: A-SE-302

DAILY/ ROUTINE ASTHMA MANAGEMENT							
RELIEVER INHALER USE AT SCHOOL AND DURING SCHOOL-RELATED ACTIVITIES							
A reliever inhaler is a fast-acting medication (usually blue in colour) that is used when someone is having asthma symptoms. The reliever inhaler should be used:							
<ul><li>□ When student is experiencing asthma symptoms (e.g., trouble breathing, coughing, wheezing).</li><li>□ Other (explain):</li></ul>							
Use reliever inhaler	reliever inhaler in the dose of (Name of Medication) (Number of Puffs)						
_	(Name of Medi	cation)		(Numbe	er of Puffs)		
Spacer (valved holdir	ng chamber) provided	i? 🗆	J Yes	□ No			
Place a (✓) check ma							
☐ Airomir	☐ Ventolin		<b>J</b> Bricanyl		□Other (Specify)		
☐ Student requires assistance to <b>access</b> reliever inhaler. Inhaler must be <b>readily accessible</b> .							
Reliever inhaler is ke	ot:						
		on:	Othe	r Location:			
	☐ With – location: Other Location: ☐ In locker #Locker Combination:						
□ Student will carry their reliever inhaler at all times including during recess, gym, outdoor and off-site activities.  Reliever inhaler is kept in the student's: □ Pocket □ Backpack/fanny pack □ Case/pouch □ Other (specify): □ Does student require assistance to administer reliever inhaler? □ Yes □ No □ Student's spare reliever inhaler is kept: □ In main office (specify location): □ Other location: □ In locker #: □ Locker combination: □ Other location: □ O							
CONTROLLER MEDICATION USE AT SCHOOL AND DURING SCHOOL-RELATED ACTIVITES  Controller medications are taken regularly every day to control asthma. Usually, they are taken in the morning and at night, so generally not taken at school (unless the student will be participating in an overnight activity).							
Use/administer(Nam	ne of Medication)	In the dose of		At the fol	lowing times:		
Use/administer(Nam	ne of Medication)	In the dose of		At the fol	lowing times:		
Use/administer(Nam	ne of Medication)	In the dose of		At the fol	lowing times:		

Supporting Children and Students with Prevalent Medical Conditions Procedure No.: A-SE-302

## **EMERGENCY RESPONSE**

#### IF ANY OF THE FOLLOWING OCCUR:

- Continuous coughing
- Trouble breathing
- Chest tightness
- Wheezing (whistling sound in chest)
- \* Student may also be restless, irritable and/or quiet.

### **TAKE ACTION:**

**STEP 1:** Immediately use fast-acting reliever inhaler (usually a blue inhaler). Use a spacer if provided.

**STEP 2:** Check symptoms. Only return to normal activity when all symptoms are gone. If symptoms get worse or do not improve within 10 minutes, this is an **EMERGENCY!** Follow steps below.

#### IF ANY OF THE FOLLOWING OCCUR:

- Breathing is difficult and fast
- Cannot speak in full sentences
- Lips or nail beds are blue or grey
- Skin or neck or chest sucked in with each breath

## THIS IS AN EMERGENCY:

STEP 1: IMMEDIATELY USE ANY FAST-ACTING RELIEVER (USUALLY A BLUE INHALER). USE A SPACER IF PROVIDED.

**CALL 9-1-1 FOR AN AMBULANCE.** Follow 9-1-1 communication protocol with emergency responders.

**STEP 2:** If symptoms continue, use reliever inhaler every 5-15 minutes until medical attention arrives.

While waiting for medical help to arrive:

- Have student sit up with arms resting on a table (do not have student lie down unless it is an anaphylactic reaction).
- Do not have the student breathe into a bag.
- Stay calm, reassure the student and stay by his/her side.
- Notify parent(s)/guardian(s) or emergency contact.

<sup>\*</sup>Student may also be anxious, restless, and/or quiet.

HEALTHCARE PROVIDER INFORMATION						
<b>Healthcare provider may include</b> : Physician, Nurse Practitioner, Registered Nurse, Pharmacist, Respiratory Therapist, Certified Respiratory Educator, or Certified Asthma Educator.						
Healthcare Provider's Name:						
Profession/Role:						
Signature:		Date:				
Special Instructions/Notes/Prescription Labels:						
If medication is prescribed, please include dosage, frequency and method of administration, dates for which the authorization to administer applies, and possible side effects.  ★This information may remain on file if there are no changes to the student's medical condition.						
AUTHORIZATION/PLAN REVIEW						
INDIVIDUAL	S WITH WHON	Л THIS PLAN OF C	CARE IS TO BE SHARED			
1	2		3			
4	5		6			
Other Individuals To Be Conta						
Before-School Program	□Yes	☐ No				
After-School Program	☐ Yes	□ No				
School Bus Driver/Route # (If Applicable)						
Other:						
on or before:	r the 20 — 2	<b>20 school yea</b>  sibility to notify t	☐ No  Ar without change and will be reviewed  The principal if there is a need to change			
			_			
Parent(s)/Guardian(s):	Signature		Date:			
Student:			Date:			
	Signature					
Principal:			Date:			
	Signature					